



magswitch

Section

Five

Multi Angles &

Magvises

5

5

5

5

5

5

5

Magswitch Product Spec Sheet

Mini Angle

Magswitch Part Number 8100352

Perfect For Small Parts Welding--Like A Third Hand!

- Holds On Three Sides
- Fast, Easy Assembly At 90° Or 45° .
- Strong Hold – Powered by 80 lbs (36 kg) Magswitch.
- Pipe Notch For Use On Pipe/Tube Stock
- Ideal For Smaller And Tight Areas




- ½ Turn Of The Knob Turns Magnet On/Off
 - Quick And Easy Assembly
 - Like A Third Hand!
- Hold A Tape Measure, Or Small Parts Easily
 - Easily Positioned On Flat Or Round Stock
- Turns Completely Off For Removal And Cleaning
 - No Batteries, No Electricity Required!
 - Item Weight .3 Lbs (.14 Kg)

Magswitch Product Spec Sheet

Includes

1-Mini Angle



Magswitch Product Spec Sheet

Mini Multi Angle

Magswitch Part Number 8100350

Perfect For Small Parts Welding--Like A Third Hand!

- Holds On Multiple Sides
 - Powered by 80 lbs (36 kg) Magswitch.
- Offers several common angles: 45°, 75°, 90°, 105°, and 135°
 - Use Multiple Units For Complex Set Up's
 - Pipe Notch For Use On Pipe/Tube Stock
 - Ideal For Smaller And Tight Areas




- Like A Third Hand!
- Quick And Easy Assembly
- ½ Turn Of The Knob Turns Magnet On/Off
- Hold A Tape Measure, Or Small Parts Easily
 - Easily Positioned On Flat Or Round Stock
- Turns Completely Off For Removal And Cleaning
 - No Batteries, No Electricity Required!
 - Item Weight .4 Lbs (.2 Kg)

Magswitch Product Spec Sheet

Includes

1-Mini Multi Angle



- Must Be Placed On Bare Metal-To-Metal Contact
- Less Than 100% Contact Will Result In Spark That Will Pit The Bottom And Cause Overheating Resulting In Failure.
 - This Is Not Covered By Warranty!
- Secure Your Copper Lug To The Ground Clamp With The Bolt Provided

Magswitch Product Spec Sheet

Mini Multi Angle w/300 Amp Ground

Magswitch Part Number 8100351

Perfect For Small Parts Welding--Like A Third Hand, Plus A Ground!

- Holds On Multiple Sides
- 300 Amp Ground Clamp Built in @50% DC
- Offers several common angles: 45°, 75°, 90°, 105°, and 135°
 - Powered By A 150 lb Magswitch Magnet
 - Use Multiple Units For Complex Set Up's
 - Pipe Notch For Use On Pipe/Tube Stock
 - Ideal For Smaller And Tight Areas




- 300 Amp Ground And Accessory Holder In One!
 - Quick And Easy Assembly Of Small Parts
 - ½ Turn Of The Knob Turns Magnet On/Off
- Push Knob Down And Turn Counterclockwise To Turn Off
 - Localize Your Ground For Better Results
 - Easily Positioned On Flat Or Round Stock
- Turns Completely Off For Removal And Cleaning
 - No Batteries, No Electricity Required!
 - Item Weight 1.2 Lbs (.54 Kg)

Magswitch Product Spec Sheet

Includes

1-Mini Multi Angle with Ground clamp

1-3/8 x 16 Ground Lug Securing Bolt



- Must Be Placed On Bare Metal-To-Metal Contact
- Less Than 100% Contact Will Result In Spark That Will Pit The Bottom And Cause Overheating Resulting In Failure.
 - This Is Not Covered By Warranty!
- Secure Your Copper Lug To The Ground Clamp With The Bolt Provided

Magswitch Product Spec Sheet

Multi Angle 400 – Mag vise

Magswitch Part Number 8100438

Clever Dual function - A workholding angle tool and a super convenient quick connect/disconnect magnetic vise

Features

- Holds up to 400lbs/178kg on thick steel.
- Offers several common angles: 45°, 60°, 75°, 90°, 105°, 120° and 135°
- Use it as a vise for quick set up and small steel fabrication including cutting, grinding, drilling, sanding, etc.
 - Vise options include round, angle stock, square bar or flat.
 - Item Weight 2.6 Lbs. (1.2 Kg)




Advantages

- A portable instant on off vise that you don't have to bolt in place.
 - Turns Completely Off For Removal And Cleaning
 - Sets up in seconds
- Featuring the patented Magswitch® technology for complete on/off control, super strong, precise positioning.
 - No Batteries, No Electricity Required!

Magswitch Product Spec Sheet

Includes

1-Multi Angle 400



- Must Be Placed on Target metal before turning on.
- Do not attempt to turn on unit without being in contact with steel surface.
 - Use and store unit under 180°F /82°C . Rare Earth magnets start to deteriorate if heated over this temperature.
- Holding capacity is reduced where there is an air gap present eg. Dirty, rusty or painted contact surface.

Magswitch Product Spec Sheet

Multi Angle 1000 – Mag vise

Magswitch Part Number 8100450

Clever Dual function - A workholding angle tool and a super convenient quick connect/disconnect magnetic vise

Features

- Holds up to 1,000lbs/446kg on thick steel.
- Offers several common angles: 45°, 60°, 75°, 90°, 105°, 120° and 135°
- Use it as a vise for quick set up and medium steel fabrication including cutting, grinding, drilling, sanding, etc.
 - Vise options include round, angle stock, square bar or flat.
 - Item Weight 9.7 Lbs. (4.4 Kg)



Advantages

- A portable instant on-off vise that you don't have to bolt in place.
 - Turns Completely Off For Removal And Cleaning
 - Sets up in seconds
- Featuring the patented Magswitch® technology for complete on/off control, super strong, precise positioning.
 - No Batteries, No Electricity Required!

Magswitch Product Spec Sheet

Includes

1-Multi Angle 1000



- Must Be Placed on Target metal before turning on.
- Do not attempt to turn on unit without being in contact with steel surface.
 - Use and store unit under 180°F /82°C . Rare Earth magnets start to deteriorate if heated over this temperature.
- Holding capacity is reduced where there is an air gap present eg. Dirty, rusty or painted contact surface.